



**LIGHTING
& POWER**

RTB Heavy Duty Industrial Cord Reels



RTBA3L-WDD515-J14K



RTBB3LW-WW-J12F

APPLICATIONS

- Construction
- Maintenance/Service
- Manufacturing
- Vehicle Charging Stations
- Retail
- Education/Hospitality
- Utilities
- Medical/Laboratories

FEATURES

- 30 Amp/600 Volt rated slip ring
- Heavy duty formed steel mounting base for ceiling, floor, or wall
- Adjustable ball stop included
- Adjustable 4 roller guide arm included; 12 possible positions
- Adjustable ratchet can be engaged (positive lock) or disengaged (constant tension) as needed
- 6' feed cord included

OPTIONS

- Up to 20 Amps
- 2 - 4 Conductors
- 12 - 16 AWG
- SJOW, SOOW, SEOW (black or white cord)
- Custom cord lengths available
- Outlet boxes, plugs, connectors, or work lights
- Pivot Base rotates up to 345°
- Swivel Base 360° continuous rotation



The Permanent Name in
Temporary Lighting & Power



NEMA 2 Commercial and Industrial Grade for Indoor Use

KH Industries offers the following selection of retractable power cord reels that will meet most lift/drag applications and environmental needs.



RTBB3LB-1DB515-J12F

RTB Plug-n-Play Series, NEMA 2 Rated for Indoor Use, 125 VAC								
Model No.	Description/Features	Cord Lgth	Gauge/Conductor	Cord Type/Color	Max Amps	NEMA Connector	NEMA Plug Config.	Reel Color
RTBA3L-WDD515-J16F	(2) 15A Duplex	25'	16/3	SJOW/Black	10	(4) 5-15R	5-15P	Yellow
RTBA3L-WDD515-J16K		50'						
RTBB3L-WDD515-J14F		25'	14/3		15			
RTBA3L-WDD515-J14K		50'						
RTBB3L-4DD515-B12G		30'	SOOW/Black		20			
RTBB3L-4DD520-B12G	30'							
RTBB3L-WGB520-J12F	(1) 20A Duplex/ Blank, GFCI in Feed Cord	25'	12/3	SJOW/Black	20	(2) 5-20R	5-20P	
RTBB3L-WGB520-J12K	50'							
RTBB3L-4GB520-J12F	(1) 20A Duplex GFCI/Blank	25'	12/3	SJOW/Black	20	(4) 5-20R	5-20P	
RTBB3L-4GB520-J12K		50'						
RTBB3L-WDD520-J12F	(2) 20A Duplex	25'	12/3	SJOW/Black	20	(4) 5-20R	5-20P	
RTBB3L-WDD520-J12K		50'						

RTB Plug-n-Play Series, NEMA 2 for Indoor Use, 125 VAC								
Model No.	Description/Features	Cord Lgth	Gauge/Conductor	Cord Type/Color	Max Amps	NEMA Connector	NEMA Plug Config.	Reel Color
RTBB3LW-1DD520-H12F	(2) 20A Duplex	25'	12/3	SEOW/White	20	(4) 5-20R	5-20P	White
RTBB3LW-1DD520-J12F		25'		SJOW/Black				
RTBB3LW-1DD520-J12K		50'		SJOW/White				
RTBB3LW-1DD520-P12F		25'						
RTBB3LW-1DD520-P12K		50'		SJOW/Black				
RTBB3LB-1DD520-J12F		25'						
RTBB3LB-1DD520-J12K	50'	(2) 5-20R	5-20P	Black				
RTBB3LB-1GB520-J12F	(1) 20A GFCI/ Blank				25'			
RTBB3LB-1GB520-J12K	(1) 20A GFCI/ Blank				50'			

RTB Series, NEMA 2 for Indoor Use, 300 VAC								
Model No.	Description/ Features	Cord Lgth	Gauge/ Conductor	Cord Type/ Color	Max Amps	NEMA Connector	NEMA Plug Config.	Reel Color
RTBB3LW-WW-J12F	Blunt Ends	25'	12/3	SJOW/Black	20	N/A	N/A	White
RTBB3LW-WW-J12K		50'						
RTBB3LW-WW-P12F		25'		SJOW/White				
RTBB3LW-WW-P12K		50'						
RTBB3LB-WW-J12F		25'		SJOW/Black				Black
RTBB3LB-WW-J12K		50'						

NEMA 4 Commercial and Industrial Grade for Indoor or Outdoor Use

The tables on these pages are a limited sample of the many cord reels KH Industries has available. For additional configurations or custom needs, please visit our website or call us today.



RTBB4L-WW-B12F

RTB Cord Reel Series, NEMA 4 for Outdoor (Wet Location) or Indoor Use, 600 VAC								
Model No.	Description/ Features	Cord Lgth	Gauge/ Conductor	Cord Type/ Color	Max Amps	NEMA Connector	NEMA Plug Config.	Reel Color
RTBA3L-WW-B16F	Blunt Ends	25'	16/3	SOOW/Black	10	N/A	N/A	Yellow
RTBA3L-WW-B16K		50'						
RTBB3L-WW-B14F		25'	14/3		15			
RTBB3L-WW-B14I		40'						
RTBB4L-WW-B14G		30'	14/4		20			
RTBB3L-WW-B12G		30'	12/3					
RTBB4L-WW-B12F		25'	12/4		16			

Model No.	Pivot/Swivel Bases
RTBF-PVB	Pivot Base, 345°
RTBF-SWB3	Swivel Base, 360° continuous rotation; 3 conductor
RTBF-SWB4	Swivel Base, 360° continuous rotation; 4 conductor


Additional cord reels are available, including motorized, retrieve cord reels, and cord reels for specialty applications. Please contact KH Industries for more information.




RTB Heavy Duty Industrial Cord Reel Accessories



360° Continuous Swivel Base



345° Pivot Base



ACCESSORIES



- Pre-wired options include outlet boxes, plugs, or connectors
- Optional Pivot Base rotates up to 345°
- Optional Swivel Base 360° continuous rotation

RTB Series Cord Reels are de-rated to the NEMA rating of the accessories when added

SPECIFICATIONS

Ask your KH Industries temporary power specialist for a dimensional drawing for complete measurements.

- Height: 13.83 in.
- Width: 7.75 in.
- Depth: 12 in.
- Weight: varies based on cord type and length



KH[™]
INDUSTRIES The Permanent Name in
Temporary Lighting & Power

